

INDEX

A

ABSORPTION COOLING EQUIPMENT M1412

ACCESS

- To appliances M1305
- To attic R807
- To crawl space R408.3
- To equipment M1401.2
- To floor furnace M1408.4

ACCESSIBLE

- Definition R202
- Readily accessible, definition R202

ACCESSORY STRUCTURE

- Definition R202

ADDRESS (Site) R321

ADMINISTRATIVE Chapter 1

- Authority R104
- Entry R104.6
- Inspections R109
- Permits R105
- Purpose R101.3
- Violations R113

AIR

- Combustion Chapter 17
- Combustion (from attic areas) M1703.3
- Combustion (from under-floor areas) M1703.4
- Combustion air, definition R202
- Ducts M1703.2
- Indoor combustion M1702
- Outdoor combustion M1703
- Return M1602

ALLOWABLE SPANS

- Of floor joists R502.3, R505.3.2
- Of headers R602.7, R603.6
- Of rafters and ceiling joists R802.4, R802.5,
R804.3.1, R804.3.3

ALTERNATE MATERIALS (see MATERIALS) R104.11

ANCHOR BOLTS R403.1.6

APPEAL

- Board of R112.1
- Right of R112

APPLIANCE

- Access to M1305
- Attic furnace M1305.1.3
- Clearance for M1306
- Connectors, fuel-gas Chapter 24
- Equipment (general) Chapter 14
- Floor furnace M1408
- Flue area R1003.14

- Fuel-burning Chapter 24
- Heating and cooling Chapter 14
- Installation M1307
- Labeling M1303
- Open-top broiler units M1505.1
- Ranges M1901
- Room heaters M1410
- Special fuel-burning equipment Chapter 19
- Vented (decorative) Chapter 24
- Wall furnace M1409
- Warm-air furnace M1402
- Water heaters Chapter 20, Chapter 24

APPLICATION

- Plywood R703.3

APPROVAL M1302

APPROVED

- Definition R202

AREA

- Flue (appliances) R1003.14
- Flue masonry R1003.15

ASPHALT SHINGLES R905.2

ATTIC

- Access R807
- Combustion air M1703.3

B

BALCONY, EXTERIOR

- Definition R202

BASEMENT WALL

- Definition R202
- Insulation Chapter 11

BATH AND SHOWER SPACES R307

BATHROOM

- Exhaust M1507.3

BEAM SUPPORTS R606.14

BEARING

- Of joists R502.6

BOILER

- Definition R202
- Requirements Chapter 20

BUILDING

- Definition R202

BUILDING OFFICIAL

- Definition R202
- Inspection and tests of
fuel-gas piping Chapter 24

BUILDING PLANNING

- Ceiling height R305

Decay protection R319
 Design criteria R301
 Dwelling unit separations R317
 Emergency escape R310
 Exterior wall location R302
 Finishes R315
 Foam plastic R314
 Garages and carports R309
 Glazing R308
 Guardrails R312
 Handrails R311.5.6, R311.6.3
 Insulation R316
 Landing R311.4.3, R311.5.4, R311.6.2
 Light, ventilation and heating R303
 Means of egress R311
 Minimum room area R304
 Planning Chapter 3
 Plumbing fixture clearances R307
 Ramps R311.6
 Radon protection Appendix F
 Sanitation R306
 Site address R321
 Smoke alarms R313
 Stairways R311.5
 Termite protection R320
 Vapor retarders R318

BUILDING THERMAL ENVELOPE

Definition R202
 Requirements Chapter 11

BUILT-UP GIRDERS (see GIRDERS)

BUILT-UP ROOFING (see ROOFING)

C

CAPACITY

Expansion tank M2003.2

CARPORT R309.4

CEILING

Finishes R805
 Height R305

CENTRAL FURNACES (see FURNACES)

CHASES R606.7

CHIMNEYS

And fireplaces Chapter 10
 Clearance R1003.18
 Corbeling R1003.5
 Crickets R1003.20
 Design (masonry) R1003.1
 Factory-built R1005
 Fireblocking R1003.19
 Flue area R1003.14, R1003.15
 Flue lining R1003.11

Load R1003.8
 Masonry and factory built, size M1805
 Multiple flue R1003.14
 Spark arrestors R1003.9.1
 Termination R1003.9
 Wall thickness R1003.10

CLAY

Tiles R905.3

CLEANOUT

Drainage P3005.2
 Masonry chimney R1003.17

CLEARANCE

Above cooking top M1901.1
 For appliances M1306.1
 For chimneys R1001.15
 Reduction methods M1306.2
 Vent connector R1803.3.4

CLOTHES DRYERS M1502, Chapter 24

COLUMNS R407

COMBUSTIBLE

Materials R202

COMBUSTION AIR

Air Chapter 17
 Attic M1703.3
 Definition R202
 Indoor M1702
 Outdoor M1703.1
 Supply M1701.1
 Under-floor M1703.4

COMMON VENT

Definition R202
 Requirements M1801.11

CONCRETE

Compressive Strength R402.2
 Floors (on ground) R506
 Tile (roof) R905.3
 Weathering Figure R301.2(3), R402.2

CONNECTION

For fuel-burning appliances Chapter 24
 For fuel-oil piping M2202

CONNECTOR

Chimney and vent M1803
 Vent, definition R202

CONSTRUCTION

Cavity wall masonry R606.4.2
 Flood-resistant R324
 Floors Chapter 5
 Footings R403
 Foundation walls R404
 Foundations Chapter 4
 Grouted masonry R609

Masonry R606, R607, R608, R609, R610
 Material R402
 Reinforced hollow unit masonry. R609.4
 Roofs Chapter 8
 Steel framing R505, R603, R804
 Wood framing. R502, R602, R802
 Walls Chapter 6

CONTROL
 Devices Chapter 24

CONTROLS
 For forced-air furnaces Chapter 24

COOKING UNIT, COUNTER-MOUNTED
 Definition E3401

COOLING
 Absorption cooling equipment M1412
 Access to equipment M1401.2
 Evaporative cooling equipment. M1413
 Installation M1401.1
 Refrigeration cooling equipment. M1404
 Return air-supply source M1602
 Screen inlet protection. M1602.3

COURT
 Definition R202

COVERING
 Exterior R703
 Interior. R702
 Roof Chapter 9
 Wall Chapter 7

CRAWL SPACE. R408

CRITERIA
 Design R301

D

DAMPER, VOLUME
 Definition R202

DECAY
 Protection against R319

DECK
 Definition R202

DECORATIVE APPLIANCES
 Vented Chapter 24

DEFINITIONS
 Building R202
 Mechanical System. R202

DESIGN
 Criteria. R301

DOORS
 Exit R311.4.1
 Glass. R613

DRAFT HOOD
 Definition R202

DRAFTSTOPPING. R502.12

DRAINAGE
 Foundation R405

DRILLING AND NOTCHING (see NOTCHING)

DRYERS
 Domestic clothes M1502

DUCTS Chapter 16
 Installation M1601.3
 Insulation N1103.2
 Material M1601.1
 System, definition R202

DWELLING
 Definition R202

DWELLING UNIT
 Definition R202
 Separation. R317

E

ELECTRICAL
 Appliance (labeling) M1303
 Inspection.

ELECTRICAL RESISTANCE HEATERS
 Baseboard convectors M1405
 Duct heaters M1407
 Radiant heating. M1406

EMERGENCY ESCAPE R202, R310

ENERGY CONSERVATION Chapter 11

ENTRY R104.6

EQUIPMENT
 General, mechanical Chapter 14
 Heating and cooling. Chapter 14

EXCAVATIONS
 For appliance installation. M1305.1.4.2

EXTERIOR
 Covering R703
 Insulation finish systems R703.9
 Lath R703.6.1
 Plaster R703.6

EXTERIOR WALL
 Definition R202

- Thermal performance Chapter 11
- F**
- FACTORY BUILT**
- Chimneys R1005, M1805
 - Fireplace stoves R1005.3
 - Fireplaces R1004
- FASTENING** Table R602.3(1)
- FENESTRATION**
- Definition R202
 - U-factor Chapter 11
- FINISHES**
- Flame spread and smoke density R315
 - For ceilings R805
 - Interior R315, R702
- FIRE BLOCKING**
- Barrier between stories R602.8
 - Chimney R1003.19
 - Fireplace R1001.12
- FIREPLACES** Chapter 10
- Clearance R1001.11
 - Corbeling R1001.8
 - Factory-built R1004
 - Fire blocking R1001.12
 - Walls R1001.5
- FLAME SPREAD** R315
- FLASHING** R703.7.5, R703.8, R903.2, R905
- FLOOR FURNACE**
- Access M1408.4
 - Clearance M1408.2
 - Definition R202
 - General M1408.1
 - Installation M1408.5
 - Location M1408.3
- FLOORS**
- Concrete (on ground) R506
 - Steel framing R505
 - Treated-wood (on ground) R504
 - Wood framing R502
- FLUE**
- Area R1003.14, R1003.15
 - Lining R1003.11, R1003.12
 - Multiple R1003.13
- FOAM PLASTICS** R314
- FOOTINGS** R403
- FOUNDATIONS** Chapter 4
- Cripple walls R602.10.2, R602.11.3
 - Frost protection R403.1.4.1
 - Inspection R109.1.1
 - Walls R404
- FRAME**
- Inspection R109.1.4
- FUEL-BURNING APPLIANCES**
(see **APPLIANCE, definition**)
- Identification Chapter 24
- FUEL-GAS** Chapter 24
- FUEL-OIL**
- Oil tanks M2201
 - Piping, fittings and connections M2202
 - Pumps and valves M2204
- FURNACES**
- Clearance of warm-air furnaces M1402.2
 - Exterior M1401.4
 - Floor (see **FLOOR FURNACE**)
 - Wall (see **WALL FURNACE**)
 - Warm-air M1402, Chapter 24
- G**
- GARAGES** R309
- GAS**
- Appliance labeling Chapter 24
- GAS PIPING SYSTEM NOT TO BE USED AS GROUNDING ELECTRODE** . . . Chapter 24
- GIRDERS** R502.5
- GLAZING** R308
- Aggregate R303.1
 - Protection of openings R301.2.1.2
- GRADE**
- Definition R202
 - Of lumber R502.1, R602.1, R802.1
 - Plane, definition R202
- GROUND**
- Floors (on ground) R504, R505, R506
- GROUND SOURCE HEAT PUMP** M2105
- GROUTED MASONRY (see **MASONRY**)** R609
- Reinforced R609.3
- GUARDS** R312
- Definition R202
- GYPSUM**
- Wallboard R702.3
- H**
- HABITABLE SPACE**
- Definition R202
- HALLWAYS** R311.3
- HANDRAILS** R311.5.6, R311.6.3
- Definition R202
- HEADERS**
- Wood R602.7
 - Steel R603.6

HEARTH R1001.9
 Extension R1001.9, R1001.10

HEATERS
 Baseboard M1405
 Central furnaces M1402
 Duct. M1407
 Heat pumps M1403
 Masonry R1002
 Pool. M2006, Chapter 24
 Radiant M1406
 Sauna. Chapter 24
 Unvented. G2445
 Vented room M1410, Chapter 24
 Water Chapter 20

HEATING R303.8

HEATING EQUIPMENT Chapter 14

HEIGHT
 Ceiling R305

HOLLOW-UNIT MASONRY
 (see **MASONRY**) R608.1.1.2
 Reinforced R609.4

HORIZONTAL
 Vent length M1803.3.2

HOT TUBS Appendix G

HOT WATER
 Heaters M2005, Chapter 24
 Piping insulation. Chapter 11

HYDROGEN GENERATING AND REFUELING M1307.4

HYDRONIC HEATING SYSTEMS
 Baseboard convectors M2102
 Boilers. M2001
 Expansion tanks M2003
 Floor heating systems M2103
 Operating and safety controls. M2002
 Piping systems installation M2101
 Water heaters M2005

I

INLET
 To masonry chimneys R1001.13

INSPECTION
 Fuel-supply system Chapter 24
 On site R109.1

INSTALLATION
 Existing Appendix J
 Of appliances M1307
 Of cooling and heating equipment. M1401.1
 Of ducts M1601.3

Of floor furnaces M1408.5
 Of flue liners. R1001.9
 Of wall furnaces. M1409.3

INSULATION R316
R-value requirements Chapter 11

INTERIOR
 Lath R702.2
 Other finishes. R702.5
 Plaster R702.2
 Wall covering Chapter 7

J

JOIST
 Bearing R502.6, R606.14.1

K

KITCHEN
 Definition R202

L

L VENT TERMINATION M1804.2.4

LABELED
 Definition R202
 Fenestration. Chapter 11

LABELING
 Appliances M1303
 Definition R202

LANDINGS. R311.4.3, R311.5.4, R311.6.2

LATERAL SUPPORT R606.9, R610.5.2

LATH
 Exterior R703.6.1
 Interior R702.2

LAVATORIES
 Clearances R307

LIABILITY R104.8

LIGHT, VENTILATION AND HEATING. R303

LINING
 Flue. R1003.11, R1003.13

LINTEL R606.10, R611.7.3, R703.7.3, R1001.7

LISTED and LISTING
 Definition applied to building and mechanical provisions. R202
 Mechanical appliances M1302.1

LOAD
 Additional R1003.8
 Roof R301.6
 Seismic risk map Figure R301.2(2)
 Snow load map. Figure R301.2(5)

Wind speed map Figure R301.2(4)

LOADS

Dead load R301.4

Live load R301.5

LOADS, LIVE AND DEAD

Definition R202

LOCATION

Of furnaces M1408.3, M1409.2

LUMBER

Grade R502.1, R602.1, R802.1

M

MANUFACTURED HOME

Definition R202

Provisions Appendix E

MASONRY

Anchorage R606.11

Attachment R703.4

Cavity wall R606.4

Chases R606.7

General R606

Grouted R609

Hollow unit R202, R607.2.2.2, R608.1.1.2

Inspection R109.1.4

Reinforced grouted R609.3

Reinforced hollow unit R609.4

Seismic requirements R606.12

Solid, definition R202

Veneer R703.7

MATERIALS

Alternate R104.11

Combustible R202, R1003.18, R1003.19
R1001.11, R1001.12

For ducts M1601

For flue liners R1003.11

For fuel-supply systems Chapter 24

For hearth extension R1001.9

For siding R703.3

Hydronic pipe M2101, M2103, M2104

MECHANICAL

Inspection R109.1.2

System requirements Chapter 13

Ventilation dampers N1103.5

MEDIUM PRESSURE FUEL-GAS

PIPING SYSTEM Chapter 24

MEMBRANE

Penetration R317.3.2

Polyethylene R504.2.2

Water proofing R406.2

Weather-resistant R703.2

METAL

Ducts Chapter 16

Roof panels R905.10

Roof shingles R905.4

MODIFICATIONS R104.10

MORTAR

Joints R607.2.1.1

MULTIPLE

Appliance venting systems M1801.11

Flues R1003.13

N

NONCOMBUSTIBLE MATERIAL

Definition R202

NOTCHING

For mechanical systems M1308

Steel joists R505.3.5

Steel studs R603.3.4

Wood joists R502.8, R802.7.1

Wood studs R602.6

Wood top plates R602.6.1

O

OCCUPIED SPACE

Definition R202

OIL

Piping and connections M2202

Supply pumps and valves M2204

Tanks M2201

OPEN-TOP GAS BROILER UNITS M1505.1

OPENING

Requirements, combustion air M1702.2,
M1703.2.1

OUTLET

Definition Chapter 24

P

PARAPETS R317.2.2, R606.2.4

PARTICLEBOARD

Floor R503.3

Walls R605

PERMITS R105

PIERS R606.6

PIPE

Insulation Chapter 11

Materials listing Table M2101.1

PIPING

Connections and materials Table M2101.1

Fuel-gas size determination Chapter 24

Support M2101.9, Chapter 24, P2605

PLANNING
 Building Chapter 3

PLANS R106

PLASTER
 Exterior R703.6
 Interior R702.2

PLENUM
 Definition R202

PLUMBING
 Fixture clearances R307
 Inspection R109.1.2

PLYWOOD
 Application R703.3
 Materials, walls R604

PRIVATE
 Sewage disposal system Appendix I

PROHIBITED
 Return air sources M1602.2

PROTECTION
 Against decay and termites R319, R320
 Against radon Appendix F
 Of ferrous gas piping Chapter 24

PURLINS R802.5.1

PURPOSE R101.3

R

R-VALUE
 Computation Chapter 11
 Definition R202

RADON
 Map Appendix F

RAFTERS
 Grade of lumber R802.1
 Spans R802.5, Tables R802.5.1(1)—
 R802.5.1(8)

RAMPS R311.6

RANGES AND OVENS
 Vertical clearance above cooking top ... M1901.1

READILY ACCESSIBLE
 Definition R202

REQUIREMENTS
 Connections for fuel-burning
 appliances Chapter 24
 Return air M1602.1

RESISTANT SIDING MATERIAL (see MATERIALS)

RETURN-AIR LIMITATION M1602.2

RIDGE BOARD R802.3

ROOF
 Coverings R905
 Drainage R903.4
 Flashing R703.8, R903.2, R905
 Steel framing R804
 Wood framing R802

ROOF-CEILING CONSTRUCTION
(see CONSTRUCTION) Chapter 8
 Insulation Chapter 11
 Wind uplift R802.11

ROOFING
 Built-up R905.9
 Liquid-applied coating R905.15
 Modified bitumen R905.11
 Sprayed polyurethane foam R905.14
 Thermoplastic single-ply R905.13
 Thermoset single-ply R905.12

ROOM
 Heaters, vented M1410
 Minimum Sizes R304

S

SANITATION R306

SEISMIC RISK MAP Figure R301.2(2)

SHAKES
 Wood R702.6, R703.5, R905.8

SHINGLE
 Asphalt shingles R905.2
 Metal R905.4
 Slate R905.6
 Wood R905.7

SHOWER
 Compartment R307.2

SIDING
 Exterior coverings R703

SITE
 Address R321
 Preparation R504.2, R506.2

SIZE
 Of combustion air openings Chapter 17
 Of rooms R304

SKYLIGHTS R308.6, Chapter 11

SLATE SHINGLES R905.6

SMOKE DENSITY R315

SMOKE ALARMS R313

SNOW LOAD MAP R301.2(5)

SOLAR HEAT GAIN
COEFFICIENT (SHGC) Chapter 11
SOLAR ENERGY SYSTEMS M2301
SPANS
 Steel (allowable) R505.3.2, R804.3.3
 Wood (allowable) R502.3, R802.5
STACK BOND R606.7
STAIRWAYS R311.5
STANDARDS Chapter 43, Appendix G
STEEL
 Fireplace units R1001.5.1
 Floor construction R505
 Roof-ceiling construction R804
 Walls R603
STORY
 Definition R202
STOVES
 Factory-built fireplace M1414
STUDS
 Wood R602.2, R602.3
 Spacing R602.3.1
 Steel R603.2, R603.3
SUPPLY
 Combustion air Chapter 17
 Fuel systems Chapter 24
 Oil supply pumps and valves M2204
 Required gas Chapter 24
 Return air M1602
SUPPORT
 Of ducts M1601.3.2
 Of joists R502.6
 Of masonry chimneys R1001.3.1
 Of pipe M2101.9, Chapter 24
SWIMMING POOLS Chapter 41, Appendix G

T

TANK
 For fuel oil-burning appliances M2201
TEMPERATURE ISOLINES Figure R301.2(1)
TERMINATION
 Of chimneys R1001.9
 Of vents (general) M1804.2
TERMITES
 Infestation probability map Figure R301.2(6)
TEST
 For leaks in supply piping Chapter 24
THERMAL ISOLATION Chapter 11
THICKNESS
 Of chimney walls R1001.10

TIES
 Veneer R703.7.4.1
TILE
 Shingles (clay and concrete) R905.3
TOWNHOUSE
 Definition R202
 Scope R101.2
 Separation R317.2
TRUSSES
 Steel R804.1.3
 Wood R502.11, R802.10
TYPE OF VENTING SYSTEMS
REQUIRED Chapter 18, Chapter 24

U

U-FACTOR
 Alternative Chapter 11
UNDER FLOOR
 Access to furnaces M1305.1.4
 Combustion air M1703.4
 Plenums M1601.4
 Space R408
UNDERGROUND INSTALLATION
REQUIREMENTS
 Duct systems M1601.1.2

V

VALVES
 Meter Chapter 24
 Oil-supply M2204
 Shutoff, fuel-gas Chapter 24
 Shutoff, fuel oil M2204.2
VAPOR RETARDERS R318, Chapter 11
 Definition R202
VENEER
 Masonry R703.7
VENT
 B or BW vent Chapter 24
 Definition Chapter 24
 L vent M1804.2.4, Chapter 24
 Termination M1804.2
VENTED
 Decorative appliances Chapter 24
 Floor furnaces M1408
 Room heaters M1410
 Wall furnaces M1409
VENTILATION
 Bathroom and kitchen M1507
 For hydrogen systems M1307.4

Roof R806
 Under floor R408.1
VENTING (Mechanical)
 Chimney and vent connectors M1803
 Components M1802
 General M1801
 Required M1801
 Systems Chapter 18
VERTICAL
 Clearances above cooking top M1901.1
 Pipe, definition R202
VIOLATIONS
 And penalties R113

W

WALL FURNACE (see APPLIANCE)
 General M1409.1
 Installation M1409.3
 Location M1409.2
WALLBOARD
 Gypsum R702.3
WALLS
 Steel framing R603
 Bracing, steel R603.3.3
 Bracing, wood R602.10
 Construction Chapter 6
 Covering Chapter 7
 Cripple R602.9
 Deflection R301.7
 Exterior covering R703
 Finishes R315, R702
 Fireplace R1003.5
 Foundation R404
 Insulating concrete form R611
 Steel framing R603
 Thickness, masonry chimneys R1003.10
 Wood framing R602
WARM-AIR FURNACES M1402
 Access to M1401.2
 Clearance from M1402.2
WATER
 Heaters Chapters 20, 24
WATER CLOSET R306.1
WATERPROOFING
 And dampproofing R406
WIND SPEED MAP Figure R301.2(4)
WINDOW R613
WOOD
 Floor construction R502
 Foundation walls R404.2

Roof-ceiling construction R802
 Shakes R905.8
 Shingles R905.7
 Trusses R502.11, R802.10
 Walls R602

Y

YARD
 Definition R202

