

INDEX

A

ABSORPTION COOLING EQUIPMENT M1412

ACCESS

- To appliances M1305
- To attic R807
- To crawl space R408.4
- To equipment M1401.2
- To floor furnace M1408.4
- To plumbing connections P2704
- To plumbing fixtures P2705
- To whirlpool pumps P2720.1

ACCESSIBLE

- Definition R202
- Readily accessible, definition R202, E3401

ACCESSORY STRUCTURE

- Definition R202

ADDRESS (Site) R319

ADMINISTRATIVE Chapter 1

- Authority R104
- Entry R104.6
- Inspections R109
- Permits R105
- Purpose R101.3
- Violations R113

AIR

- Combustion Chapter 17, G2407
- Combustion air, definition R202
- Return M1602

AIR CONDITIONERS

- Branch circuits E3702.11
- Room air conditioners E3702.12

ALLOWABLE SPANS

- Of floor joists R502.3, R505.3.2
- Of headers R602.7, R603.6, R613.10
- Of rafters and ceiling joists R802.4, R802.5, R804.3.1, R804.3.2

ALTERNATE MATERIALS (see MATERIALS) . . R104.11

AMPACITY E3501

ANCHOR BOLTS R403.1.6

APPEAL

- Board of R112.1
- Right of R112

APPLIANCE

- Access to M1305
- Attic M1305.1.3
- Clearance for M1306
- Connectors, fuel-gas Chapter 24
- Definition R202
- Definition applied to electrical equipment E3501
- Electrical appliance disconnection means E4101.5
- Electrical appliance installation E4101

- Equipment (general) Chapter 14
- Floor furnace M1408
- Flue area R1003.14
- Fuel-burning Chapter 24
- Heating and cooling Chapter 14
- Installation M1307
- Labeling M1303
- Open-top broiler units M1505.1
- Ranges M1901
- Room heaters M1410
- Special fuel-burning equipment Chapter 19
- Vented (decorative) Chapter 24
- Wall furnace M1409
- Warm-air furnace M1402
- Water heaters Chapter 20, Chapter 24

APPLICATION

- Plywood R703.3

APPROVAL M1302

APPROVED

- Definition R202
- Definition applied to electrical equipment E3501

ARC-FAULT CIRCUIT-INTERRUPTER E3902

AREA

- Disposal, private sewage disposal P2602
- Flue (appliances) R1003.14
- Flue masonry R1003.15

ARMORED CABLE Table E3801.2

ASPHALT SHINGLES R905.2

ATTACHMENT PLUG (PLUG CAP) (CAP)

- Definition E3501

ATTIC

- Access R807

AUTOMATIC FIRE SPRINKLER SYSTEMS R313

B

BACKFILL

- For piping P2604

BACKFLOW, DRAINAGE

- Definition R202

BACKWATER VALVE R202

BASEMENT WALL

- Definition R202
- Insulation N1102.2.7

BATH AND SHOWER SPACES R307

BATHROOM E3501

- Exhaust M1507.3
- Group R202, Table P3004.1

BATHTUB

- Enclosure P2713
- Hydromassage E4209
- Whirlpool P2720

BEAM SUPPORTS R606.14

BEARING
 Of joists R502.6

BIDETS P2721

BOILER
 Definition R202
 Requirements Chapter 20

BONDING E3609, E4204
 Definition applied to
 electrical installations E3501

BONDING JUMPER E3501
 Bonding of service equipment E3609.2
 Bonding to other systems E3609.3
 Main bonding jumper E3607.5
 Metal water piping bonding E3608.1.1
 Sizing bonding jumpers E3609.5

BORED HOLES (see NOTCHING)

BOXES E3906
 Nonmetallic boxes E3905.3
 Support of boxes E3904.3
 Where required E3905.1

BRANCH CIRCUIT E3501, Chapter 37
 Branch circuit ampacity E3701.2
 Branch circuit ratings E3702
 Branch circuits required E3703

BUILDING
 Definition R202
 Drain, definition R202
 Existing, definition R202
 Sewer, definition R202

BUILDING OFFICIAL
 Definition R202
 Inspection and tests of
 fuel-gas piping Chapter 24

BUILDING PLANNING
 Automatic fire sprinkler systems R313
 Carbon monoxide alarms R315
 Ceiling height R305
 Decay protection R317
 Design criteria R301
 Emergency escape R310
 Exterior wall R302.1
 Finishes R315
 Fire-resistant construction R302
 Foam plastic R316
 Garages and carports R309
 Glazing R308
 Guardrails R312
 Handrails R311.7.7, R311.8.3
 Insulation R302.10
 Landing R311.4.3, R311.5.4, R311.6.2
 Light, ventilation and heating R303
 Means of egress R311
 Minimum room area R304
 Planning Chapter 3
 Plumbing fixture clearances R307
 Radon protection Appendix F
 Ramps R311.8
 Sanitation R306

Site address R319
 Smoke alarms R314
 Stairways R311.7
 Storm shelters R323
 Termite protection R318

BUILDING THERMAL ENVELOPE

Definition R202
 Requirements N1102

BUILT-UP GIRDERS (see GIRDERS)

BUILT-UP ROOFING (see ROOFING)

C

CABINETS AND PANELBOARDS E3907

CAPACITY

Expansion tank M2003.2

CARBON MONOXIDE ALARMS R315

CARPORT R309.4

CEILING

Finishes R805
 Height R305

CEILING FANS E4203.4

CENTRAL FURNACES (see FURNACES)

CHASES R606.7

CHIMNEYS

And fireplaces Chapter 10
 Clearance R1003.18
 Corbeling R1003.5
 Crickets R1003.20
 Design (masonry) R1003.1
 Factory-built R1005
 Fireblocking R1003.19
 Flue area R1003.14, R1003.15
 Flue lining R1003.11
 Load R1003.8
 Masonry and factory built, size M1805
 Multiple flue R1003.14
 Spark arrestors R1003.9.1
 Termination R1003.9
 Wall thickness R1003.10

CIRCUIT BREAKER

Definition E3401

CLASS 2 CIRCUITS

Class 2 remote-control, signaling
 and power-limited circuits Chapter 43

CLAY

Tiles R905.3

CLEANOUT

Definition R202
 Drainage P3005.2
 Masonry chimney R1003.17

CLEARANCE

Above cooking top M1901.1
 For appliances M1306.1
 For chimneys R1003.18
 Reduction methods M1306.2
 Vent connector R1803.3.4

CLEARANCES
 Around electrical equipment E3405.1, E3604.1, E3604.2, E3604.3

CLOTHES CLOSETS
 Lighting fixtures E4003.12

CLOTHES DRYERS M1502, Chapter 24

CLOTHES WASHING MACHINES P2718

COLUMNS R407

COMBUSTIBLE
 Materials R202

COMBUSTION AIR
 Air Chapter 17
 Definition R202
 Indoor M1702
 Supply M1701.1

COMMON VENT
 Definition R202
 Requirements N1801.11

CONCRETE
 Compressive Strength R402.2
 Floors (on ground) R506
 Tile (roof) R905.3
 Weathering Figure R301.2(3), R402.2

CONCRETE-ENCASED ELECTRODE E3608.1.2

CONDUCTOR E3406
 Ampacity E3705.1
 Definition E3501
 Identification E3407
 Insulation E3406.5
 Material E3406.2
 Parallel E3406.6
 Size E3406.3, E3704.1
 Ungrounded E3603.1

CONDUIT BODY
 Definition E3501

CONNECTION
 Access to connections P2704
 For fuel-burning appliances Chapter 24
 For fuel-oil piping M2202
 Joints P2904
 Plumbing fixture P2601.2
 To water supply P2902.1

CONNECTIONS
 Aluminum E3406.8
 Device E3406.10.2

CONNECTOR
 Chimney and vent M1803
 Vent, definition R202

CONNECTOR, PRESSURE (SOLDERLESS)
 Definition E3501

CONSTRUCTION
 Cavity wall masonry R608
 Flood-resistant R322
 Floors Chapter 5
 Footings R403
 Foundation material R402
 Foundation walls R404

Foundations Chapter 4
 Grouted masonry R609
 Masonry R606, R607, R608, R609, R610
 Reinforced hollow unit masonry R609.4
 Roofs Chapter 8
 Steel framing R505, R603, R804
 Wood framing R502, R602, R802
 Walls Chapter 6

CONTINUOUS LOAD
 Definition E3501

CONTINUOUS WASTE
 Definition R202

CONTROL
 Devices Chapter 24

CONTROLS
 For forced-air furnaces Chapter 24

COOKING UNIT, COUNTER-MOUNTED
 Definition E3501

COOLING
 Absorption cooling equipment M1412
 Access to equipment M1401.2
 Evaporative cooling equipment M1413
 Installation M1401.1
 Refrigeration cooling equipment M1404
 Return air-supply source M1602
 Screen inlet protection M1602.3

COPPER-CLAD ALUMINUM CONDUCTORS
 Definition E3501

CORDS
 Flexible E4101.3, E4202.2

COURT
 Definition R202

COVER REQUIREMENTS E3803.1

COVERING
 Exterior R703
 Interior R702
 Roof Chapter 9
 Wall Chapter 7

CRAWL SPACE R408, N1102.2.9

CRITERIA
 Design R301

CROSS CONNECTION
 Definition R202

D

DAMPER, VOLUME
 Definition R202

DECAY
 Protection against R317

DECK
 Supported by exterior wall R502.2.2
 Wood/plastic composite boards R502.1.7, R502.2.2.4

DECORATIVE APPLIANCES
 Vented Chapter 24

DEFINITIONS

- Building R202
- Electrical E3501
- Mechanical system R202
- Plumbing R202

DESIGN

- Criteria R301

DIRECTIONAL

- Fittings, plumbing P2707

DISCONNECTING MEANS

- Definition E3501

DISHWASHING MACHINES P2717

DOORS

- Exit R311.4.1
- Exterior R612

DRAFT HOOD

- Definition R202

DRAFTSTOPPING R302.12, R502.12

DRAIN

- Floor P2719
- Shower receptors P2709

DRAINAGE

- Cleanouts P3005.2
- Foundation R405
- Inspection and tests P2503
- Storm drainage Chapter 33

DRILLING AND NOTCHING (see NOTCHING)

DRIP LOOPS E3605.9.5

DRYERS

- Domestic clothes M1502

DUCTS Chapter 16

- Installation M1601.4
- Insulation N1103.2, M1601.3
- Material M1601.1
- System, definition R202

DWELLING

- Definition R202, E3501

DWELLING UNIT

- Definition R202, E3501
- Separation R302.2, R302.3

E

ELECTRICAL

- Appliance (labeling) M1303
- Inspection E3403

ELECTRICAL METALLIC TUBING Table E3904.6

ELECTRICAL NONMETALLIC

- TUBING** Table E3904.6

ELECTRICAL RESISTANCE HEATERS

- Baseboard convectors M1405
- Duct heaters M1407
- Radiant heating M1406

ELECTRODES

- Grounding E3608

EMERGENCY ESCAPE R202, R310

ENCLOSURE

- Definition E3501

ENERGY CONSERVATION Chapter 11

ENTRY R104.6

EQUIPMENT

- Definition applied to electrical equipment E3501
- General, mechanical Chapter 14
- Heating and cooling Chapter 14

EXCAVATIONS

- For appliance installation M1305.1.4.2

EXTERIOR

- Covering R703
- Insulation finish systems R703.9
- Lath R703.6.1
- Plaster R703.6

EXTERIOR WALL

- Definition R202
- Thermal performance N1102

F

FACEPLATES E4001.11, E4002.4

FACTORY BUILT

- Chimneys R1005, M1805
- Fireplace stoves R1005.3
- Fireplaces R1004

FASTENING Table R602.3(1)

FAUCETS P2701

FEEDER

- Ampacity E3704.5
- Conductor size E3704.1
- Feeder neutral load E3704.3
- Loads E3704.2
- Requirements E3704

FENESTRATION

- Definition R202
- U-factor and SHGC rating N1101.5
- U-factor and SHGC requirements N1102.3

FINISHES

- Flame spread and smoke density R315
- For ceilings R805
- Interior R315, R702

FIRE BLOCKING

- Barrier between stories R302.11, R602.8
- Chimney R1003.19
- Fireplace R1001.12

FIRE-RESISTANT CONSTRUCTION R302

FIRE SPRINKLER SYSTEM

- Inspections of P2904.8
- Sizing of P2904.6
- Sprinkler location P2904.1.1

FIREPLACES Chapter 10

- Clearance R1001.11
- Corbeling R1001.8
- Factory-built R1004
- Fire blocking R1001.12
- Walls R1001.5

FITTING

Definition applied to electrical installations . . . E3501

FITTINGS

DWV piping P3002.3
 Prohibited joints P3003.2
 Water supply P2905.6

FIXTURE UNIT

Drainage, definition R202
 Unit valves P2903.9.3
 Water supply, definition R202

FIXTURES

Plumbing fixture, definition R202
 Plumbing fixture, general Chapter 27
 Trap seals P3201.2

FLAME SPREAD INDEX R302.9, R302.10

FLASHING R703.7.5, R703.8, R903.2, R905

FLEXIBLE CORDS E3909, E4101.3, E4202.2

FLEXIBLE METAL CONDUIT E3801.4, E3908.8.1

FLOOR FURNACE M1408

FLOORS

Concrete (on ground) R506
 Steel framing R505
 Treated-wood (on ground) R504
 Wood framing R502

FLUE

Area R1003.14, R1003.15
 Lining R1003.11, R1003.12
 Multiple R1003.13

FOAM PLASTICS R316

FOOD-WASTE GRINDERS P2716

FOOTINGS R403

FOUNDATIONS Chapter 4

Cripple walls R602.9, R602.10.9, R602.11.2
 Frost protection R403.1.4.1
 Inspection R109.1.1
 Walls R404

FRAME

Inspection R109.1.4

FREEZE PROTECTION OF PLUMBING P2603.6

FUEL-BURNING APPLIANCES

(see **APPLIANCE, definition**)

Identification Chapter 24

FUEL-GAS Chapter 24

FUEL-OIL

Oil tanks M2201
 Piping, fittings and connections M2202
 Pumps and valves M2204

FURNACES

Clearance of warm-air furnaces M1402.2
 Exterior M1401.4
 Floor (see **Floor Furnace**)
 Wall (see **Wall Furnace**)
 Warm-air M1402, Chapter 24

FUSES E3705.6

G

GARAGES R309

GAS

Appliance labeling Chapter 24

GAS PIPING SYSTEM NOT TO BE USED AS GROUNDING ELECTRODE Chapter 24

GIRDERS R502.5

GLAZING R308

Aggregate R303.1
 Protection of openings R301.2.1.2

GRADE

Definition R202
 Of lumber R502.1, R602.1, R802.1
 Plane, definition R202
 Slope of piping, definition R202

GRAY WATER Appendix O

GROUND

Definition of electrical E3501
 Floors (on ground) R504, R506
 Joint connection P2905.8

GROUND-FAULT CIRCUIT-INTERRUPTER

PROTECTION E3902, E4203, E4206, E4207.2, E4208

GROUND SOURCE HEAT PUMP M2105

GROUNDED

Definition E3501

GROUNDED CONDUCTOR

Definition E3501
 Identification E3407

GROUNDED, EFFECTIVELY

Definition E3501

GROUNDING

Effective grounding path E3611.3
 Of equipment E3908, E4205.1

GROUNDING CONDUCTOR

Definition E3501
 Equipment E3501, E3607.3.1, E3908

GROUNDING ELECTRODE

CONDUCTOR E3607.4
 Connection E3607.2, E3611
 Definition E3501
 Size E3603.4

GROUNDING ELECTRODE SYSTEM E3608

GROUNDING ELECTRODES E3608, E3608.1

Resistance of E3608

GROUTED MASONRY (see **MASONRY)** R609

Reinforced R609.3

GUARDED

Definition applied to electrical equipment E3501

GUARDING OF ENERGIZED PARTS E3404.9

GUARDS R312

Definition R202

GYPSON

Wallboard R702.3

H

HABITABLE SPACE

Definition R202

HALLWAYS R311.6

HANDRAILS R311.7.7, R311.8.3

Definition R202

HEADERS

SIP R613.10

Steel R603.6

Wood R602.7

HEARTH R1001.9

Extension R1001.9, R1001.10

HEATERS

Baseboard M1405

Central furnaces M1402

Duct M1407

Heat pumps M1403

Masonry R1002

Pool M2006, Chapter 24

Radiant M1406

Sauna Chapter 24

Unvented G2445

Vented room M1410, Chapter 24

Water Chapter 20

HEATING R303.8

HEATING EQUIPMENT Chapter 14

HEIGHT

Ceiling R305

HOLLOW-UNIT MASONRY

(see **MASONRY**) R607.2.2.2, R608.1.1.2

Reinforced R609.4

HORIZONTAL

Pipe, definition R202

Vent length M1803.3.2

HOT TUBS E4201, Appendix G

HOT WATER

Circulating hot water piping insulation N1103.4

Definition R202

Distribution pipe rating P2905.5

Heaters M2005, Chapter 24

HYDROGEN GENERATING

AND REFUELING M1307.4

HYDRONIC HEATING SYSTEMS

Baseboard convectors M2102

Boilers M2001

Expansion tanks M2003

Floor heating systems M2103

Operating and safety controls M2002

Piping systems installation M2101

Water heaters M2005

I

IDENTIFIED

Definition applied to electrical equipment E3501

INDIVIDUAL

Branch circuit, definition E3501

Sewage disposal systems R202, P2602

Water supply and sewage

disposal systems P2602

INLET

To masonry chimneys R1003.16

INSPECTION

Card AE305.3

Excavation for piping P2604.1

Fuel-supply system Chapter 24

Of plumbing system P2503

On site R109.1

INSTALLATION

Existing Appendix J

Of appliances M1307

Of cooling and heating equipment M1401.1

Of ducts M1601.4

Of flue liners R1003.12

Of plumbing fixtures P2705

Of wall furnaces M1409.3

INSULATION R302.10

R-value requirements Chapter 11

INTERIOR

Lath R702.2.3

Other finishes R702.5

Plaster R702.2

Wall covering Chapter 7

INTERMEDIATE METAL CONDUIT E3801, E3904

INTERRUPTING RATING E3404.2

Definition E3501

J

JOINTS, PIPE

And connections P2905, P3003

Slip P2704.1, P3005.2.9

JOIST

Bearing R502.6, R606.14.1

JUMPERS

Bonding E3609

JUNCTION BOXES E3905, E4206.9.1

K

KITCHEN

Definition R202

KITCHEN RECEPTACLES E3703.2, E3901

L

L VENT TERMINATION M1804.2.4

LABELED

Definition R202

Definition applied to electrical equipment E3501

Fenestration N1101.5, N1102.4.4

LABELING

Appliances M1303

Definition R202

LAMP HOLDERS E4003, E4004

LANDINGS R311.3, R311.7.1,
R311.7.5, R311.8.2

LATERAL SUPPORT R502.7, R606.9, R610.5.2

LATH
Exterior R703.6.1
Interior R702.2.3

LAUNDRY CIRCUIT E3703.3

LAUNDRY TUBS P2715

LAVATORIES P2711
Clearances R307
Waste outlets P2711.3

LEAD
Bends and traps P3002.4.2
Caulked joints P3003.6.1
Flashing P3002.4.1

LIABILITY R104.8

LIGHT, VENTILATION AND HEATING R303

LIGHTING
Luminaire in clothes closets E4003.12
Luminaire installation E4004
Luminaries E4003, E4004, E4206

LIGHTING OUTLETS
Definition E3501
Required lighting outlets E3903

LINING
Flue R1003.11, R1003.12

LINTEL R606.10, R611.8,
R703.7.3, R1001.7

LIQUID-TIGHT FLEXIBLE CONDUIT E3801.4, E3908.8.2

LISTED
Definition applied to electrical equipment. E3501

LISTED and LISTING
Definition applied to building and
mechanical provisions. R202
Mechanical appliances M1302.1

LOAD
Additional R1003.8
Roof R301.6
Seismic risk map Figure R301.2(2)
Snow load map Figure R301.2(5)
Wind speed map Figure R301.2(4)

LOADS
Branch circuit loads. E3702, E3703.6
Dead load R301.4
Feeder load E3704.2
Feeder neutral load E3704.3
Horizontal load AE602.1
Live load R301.5
Service load. E3602.2

LOADS, LIVE AND DEAD
Definition R202

LOCATION
Of furnaces M1408.3, M1409.2

LOCATION (DAMP) (DRY) (WET)
Definitions E3501

LUMBER
Grade R502.1, R602.1, R802.1

LUMINAIRE E4004
Clearances E4004.8

M

MACERATING TOILET P2723

MANUFACTURED HOME
Definition R202
Provisions Appendix E

MASONRY
Anchorage R606.11
Cavity wall R608
Chases R606.7
General R606
Grouted R609
Hollow unit R202, R607.2.2.2, R608.1.1.2
Inspection R109.1.4
Reinforced grouted R609.3
Reinforced hollow unit R609.4
Seismic requirements R606.12
Solid, definition R202
Veneer R703.7
Veneer attachment R703.4

MATERIALS
Alternate R104.11
Combustible R202, R1003.18, R1003.19
R1001.11, R1001.12
For ducts M1601
For fixture accessories P2702
For flue liners R1003.11
For fuel-supply systems Chapter 24
For hearth extension R1001.9
For siding R703.3
Hydronic pipe M2101, M2103, M2104
Plumbing pipe P2905, P3002

MECHANICAL
Inspection R109.1.2
System requirements Chapter 13
Ventilation dampers N1103.5

MEDIUM PRESSURE FUEL-GAS PIPING SYSTEM Chapter 24

MEMBRANE
Penetration R302.4.2
Polyethylene R504.2.2, R506.2.3
Water proofing R406.2
Water-resistive R703.2

METAL
Ducts Chapter 16
Roof panels R905.10
Roof shingles R905.4

METAL-CLAD CABLE Table E3701.2

METHODS
Water distribution pipe sizing Appendix P

MODIFICATIONS R104.10

MOISTURE CONTROL R601.3

MORTAR
 Joints R607.2.1.1

MOTORS
 Motor branch circuits E3702.6, E3702.7

MULTIPLE
 Appliance venting systems M1801.11
 Flues R1003.13

MULTIWIRE BRANCH CIRCUITS E3701.5

N

NONCOMBUSTIBLE MATERIAL
 Definition R202

NONMETALLIC BOXES E3905.3, E3908.16

NONMETALLIC RIGID CONDUIT E3801.4

NONMETALLIC-SHEATHED CABLE E3705.4.4, E3801.4, E3905.3.1, E3908.8.3

NOTCHING
 Electrical E3402.1
 For plumbing piping P2603.2
 For mechanical systems M1308
 Steel joists R505.2.5, R505.3.5, R804.2.5, R804.3.4
 Steel studs R603.2.5, R603.3.4
 Wood joists R502.8, R802.7.1
 Wood studs R602.6
 Wood top plates R602.6.1

O

OCCUPIED SPACE
 Definition R202

OIL
 Piping and connections M2202
 Supply pumps and valves M2204
 Tanks M2201

OPEN-TOP GAS BROILER UNITS M1505.1

OPENING
 Requirements, combustion air Chapters 17 and 24
 Waterproofing of piping penetrations P2606.1

OUTLET
 Definition Chapter 24, E3501

OVEN, WALL-MOUNTED
 Definition applied to electrical provisions E3501

OVERCURRENT
 Definition E3501

OVERCURRENT PROTECTION E3705

OVERCURRENT-PROTECTION RATING E3705.6

OVERLOAD
 Definition E3501

P

PANELBOARD
 Definition E3501

PANELBOARDS E3706
 Clearance and dedicated space E3405.2, E3405.3
 Headroom E3405.7

PARAPETS R302.2.2, R606.2.4

PARTICLEBOARD
 Floor R503.3
 Walls R605

PERMITS R105

PIERS R606.6

PIPE
 Insulation N1103.3, N1103.4
 Materials listing Table M2101.1, P2608
 Protection P2603
 Standards, drain, waste and vent Table P3002.1(1), P3002.1(2)
 Standards, sewer Table P3002.2
 Standards, water supply P2905

PIPING
 Connections and materials Table M2101.1, P2905
 Drain, waste and vent P3002.1
 Fuel-gas size determination Chapter 24
 Protection P2603
 Sizing methods, water distribution P2903.7
 Support Chapter 24, M2101.9, P2605

PLANNING
 Building Chapter 3

PLANS R106

PLASTER
 Exterior R703.6
 Interior R702.2

PLENUM
 Definition R202
 Definition, electrical installations E3501

PLUMBING
 Fixture clearances R307
 Fixtures Chapter 27
 Inspection R109.1.2
 Materials P2702.2, P2905, P3002
 Requirements and definitions R202
 System, definition R202
 Traps Chapter 32
 Vents Chapter 31

PLYWOOD
 Application R703.3
 Materials, walls R604

POTABLE WATER
 Definition R202

PRECAST CONCRETE
 Footings R403.4
 Foundation material R402.3.1
 Foundation walls R404.5

PRESSURE, WATER SUPPLY
 Maximum P2903.3.1
 Minimum P2903.3

PRIVATE
 Sewage disposal system Appendix I

PROHIBITED
 Receptors P2706.3
 Return air sources M1602.2
 Traps P3201.5
 Valves below grade P2903.9.5
 Water closets P2712.1

PROTECTION
 Against decay and termites R319, R320
 Against radon Appendix F
 Of backflow preventers P2902.6
 Of ferrous gas piping Chapter 24
 Of potable water supply P2902

PURLINS R802.5.1

PURPOSE R101.3

R

R-VALUE
 Computation N1102.1.1
 Definition R202

RACEWAY
 Definition E3501
 Raceway installations E3904
 Raceway seals E3601.5, E3803.6
 Raceways as means of support E3904.4

RADON
 Map Appendix F

RAFTERS
 Grade of lumber R802.1
 Spans R802.5,
 Tables R802.5.1(1) – R802.5.1(8)

RAINPROOF
 Definition applied to electrical provisions E3501

RAINTIGHT
 Definition applied to electrical provisions E3501

RAMPS R311.8

RANGES
 Branch circuits for ranges E3702.9

RANGES AND OVENS
 Vertical clearance above cooking top M1901.1

READILY ACCESSIBLE
 Definition R202
 Definition, electrical installations E3501

RECEPTACLE
 Definition E3501

RECEPTACLE OUTLET
 Definition E3501
 Required outlets E3901

RECEPTACLES
 Rating, type and installation E4002

RECEPTORS
 Plumbing fixtures and traps Chapter 27
 Shower receptor materials P2709.2

Waste P2706

RECESSED LUMINAIRES E4003.5, E4003.12,
 E4004.8, E4004.9,
 Sealed N1102.4.5

REQUIREMENTS
 Connections for fuel-burning appliances Chapter 24
 Return air M1602.1

RESISTANCE TO GROUND
 Electrodes E3608.4

RESISTANT SIDING MATERIAL (see MATERIALS)

RETURN-AIR LIMITATION M1602.2

RIDGE BOARD R802.3

RIGID METALLIC CONDUIT E3908

RIGID NONMETALLIC CONDUIT E3801.4

ROOF
 Coverings R905
 Drainage R903.4
 Flashing R703.8, R903.2, R905
 Steel framing R804
 Wood framing R802

ROOF-CEILING CONSTRUCTION (see CONSTRUCTION) Chapter 8
 Insulation N1102.2
 Wind uplift R802.11, R804.3.9

ROOFING
 Built-up R905.9
 Liquid-applied coating R905.15
 Modified bitumen R905.11
 Sprayed polyurethane foam R905.14
 Thermoplastic single-ply R905.13
 Thermoset single-ply R905.12

ROOM
 Heaters, vented M1410
 Minimum Sizes R304

S

SANITATION R306

SEISMIC RISK MAP Figure R301.2(2)

SEPTIC TANK
 Definition R202

SERVICE
 Definition E3501

SERVICE CABLE
 Definition E3501

SERVICE CONDUCTORS
 Definition E3501
 Drip loops E3605.9.5
 Insulation E3605.1
 Overload protection E3603.3
 Rating of ungrounded service conductors E3602.1
 Size E3603.1

SERVICE DISCONNECT
 Location E3601.6.2
 Marking of E3601.6.1

Maximum number of E3601.7
 Rating of E3602.3
 Required E3601.6

SERVICE DROP
 Clearances E3604.1, E3604.2
 Definition E3501
 Point of attachment E3604.3

SERVICE-ENTRANCE CONDUCTORS, OVERHEAD SYSTEM
 Definition E3501

SERVICE-ENTRANCE CONDUCTORS, UNDERGROUND SYSTEM
 Definition E3501

SERVICE EQUIPMENT
 Definition E3501

SERVICE LATERAL
 Definition E3501

SERVICE LOAD E3602.2

SERVICE POINT
 Definition E3501

SERVICE VOLTAGE RATING E3602.4

SERVICES Chapter 36

SEWAGE
 Disposal, private P2602

SEWER, BUILDING
 Definition R202
 Size P3005.4.2
 Testing P2503.4

SHAKES
 Wood R702.6, R703.5, R905.8

SHINGLE
 Asphalt shingles R905.2
 Metal R905.4
 Slate R905.6
 Wood R905.7

SHOWER
 Compartment R307.2
 Receptor P2709
 Stall dimensions P2708
 Walls P2710

SHUTOFF VALVE (see VALVES)

SIDING
 Exterior coverings R703

SINKS P2714

SITE
 Address R319
 Preparation R408.5, R504.2, R506.2

SIZE
 Of combustion air openings Chapter 17
 Of rooms R304
 Of trap P3201.7

SIZING METHODS
 Water piping P2903.7

SKYLIGHTS R308.6, N1102.3.5, N1102.4

SLATE SHINGLES R905.6

SMOKE ALARMS R314

SMOKE-DEVELOPED INDEX R302.9, R302.10

SNOW LOAD MAP R301.2(5)

SOLAR ENERGY SYSTEMS M2301

SOLAR HEAT GAIN COEFFICIENT (SHGC) N1101.5, N1101.9, N1102.3

SPANS
 Steel (allowable) R505.3.2, R804.3.2.1
 Wood (allowable) R502.3, R802.5

SPAS E4208

SPLICES E3406.10

SPLICES AND TAPS E3803.4

STACK BOND R606.8

STAIRWAYS R311.7

STANDARDS Chapter 44, Appendix G

STEEL
 Fireplace units R1001.5.1
 Floor construction R505
 Roof-ceiling construction R804
 Walls R603

STORM SHELTERS R323

STORY
 Definition R202

STOVES
 Factory-built fireplace M1414

STRUCTURAL AND PIPING PROTECTION P2603

STRUCTURAL INSULATED PANEL (SIP) R613

STUDS
 Wood R602.2, R602.3
 Spacing R602.3.1
 Steel R603.2, R603.3

SUPPLY
 Combustion air Chapters 17 and 24
 Fuel systems Chapter 24
 Oil supply pumps and valves M2204
 Required gas Chapter 24
 Return air M1602
 Water Chapter 29

SUPPORT
 Of decks R502.2.2
 Of ducts M1601.4.3
 Of floor joists R502.6, R505.3.2
 Of masonry chimneys R1003.2, R1003.3, R1003.4
 Of pipe M2101.9, Chapter 24, P2605

SUPPORT REQUIREMENTS FOR WIRING METHODS E3802.1

SWIMMING POOLS Chapter 42, Appendix G

SWITCHES
 Definition E3501
 Rating and application E4001

SYSTEMS
 Mechanical venting Chapters 18 and 24
 Plumbing, drainage, waste and venting Chapters 25, 30 and 31

T

TAIL PIECES P2703

TANK
 For fuel oil-burning appliances M2201
 Septic, definition R202

TEMPERATURE ISOLINES Figure R301.2(1)

TEMPERATURE LIMITATIONS E3705.4

TERMINALS E3406.9

TERMINATION
 Of chimneys R1003.9
 Of vents (general) M1804.2

TERMITES
 Infestation probability map. Figure R301.2(6)
 Protection R318

TEST
 For leaks in supply piping Chapter 24
 Of building sewers P2503.4
 Of plumbing systems P2503
 Of shower liner. P2503.6

THERMAL ISOLATION R202, N1102.2.11,
 N1102.3.5

THICKNESS
 Of chimney walls R1003.10

TIES
 Veneer R703.7.4

TILE
 Shingles (clay and concrete) R905.3

TOWNHOUSE
 Definition. R202
 Scope R101.2
 Separation R302.2

TRACK LIGHTING E4005

TRAP Chapter 32
 Arm, definition R202

TRUSSES
 Steel. R505.1.3, R804.3.7
 Wood R502.11, R802.10

TYPE OF VENTING SYSTEMS REQUIRED Chapters 18 and 24

U

U-FACTOR
 Alternative N1102.1.2
 Definition. R202

UNDER FLOOR
 Access to furnaces M1305.1.4
 Plenums M1601.5
 Space R408

UNDERGROUND INSTALLATION REQUIREMENTS
 Duct systems M1601.1.2
 Electrical cable E3803
 Wiring E4103.6

UNVENTED ATTIC ASSEMBLIES R806.4

UTILIZATION EQUIPMENT

Definition. E3401

V

VALVES

Backwater P3008
 Meter Chapter 24
 Oil-supply M2204
 Relief, water heater. P2803
 Shutoff, fuel-gas Chapter 24
 Shutoff, fuel oil M2204.2
 Water heaters P2903.9.2
 Water supply P2903.9

VAPOR RETARDERS R601.3, N1102.2.9
 Definition. R202

VENEER

Masonry. R703.7

VENT

B or BW vent Chapter 24
 Definition Chapter 24
 L vent M1804.2.4, Chapter 24
 Plumbing system, definition R202
 Termination M1804.2,
 M2203.5, P3103.5

VENTED

Decorative appliances. Chapter 24
 Floor furnaces M1408
 Room heaters M1410
 Wall furnaces M1409

VENTILATION

Bathroom and kitchen M1507
 For hydrogen systems M1307.4
 Roof R806
 Under floor. R408.1

VENTING (Mechanical)

Chimney and vent connectors M1803
 Components. M1802
 General M1801
 Required M1801, M2203.4
 Systems Chapter 18

VENTING (Plumbing)

Air admittance valves P3114
 Circuit P3110
 Combination waste and vent system P3111
 Common P3107
 Connections and grades. P3104
 Fixture. P3105
 Individual. P3106
 Island fixture P3112
 Pipe sizing P3113
 Stacks and stack vents. P3102
 Systems P3101
 Terminals P3103
 Waste stack P3109
 Wet P3108

VERTICAL

Clearances above cooking top M1901.1
 Pipe, definition R202

INDEX

VIOLATIONS
 And penalties R113

VOLTAGE
 Definition..... E3501

VOLTAGE RATING (Services)..... E3602.4

VOLTAGE TO GROUND
 Definition..... E3501

VOLTAGES E3404.1

W

WALL FURNACE (see APPLIANCE)
 General M1409.1
 Installation..... M1409.3
 Location M1409.2

WALLBOARD
 Gypsum..... R702.3

WALLS
 Bracing, steel..... R603.9
 Bracing, wood R602.10
 Construction Chapter 6
 Covering Chapter 7
 Cripple R602.9
 Deflection R301.7
 Exterior covering R703
 Finishes R315, R702
 Fireplace R1001.5
 Foundation R404
 Insulating concrete form..... R611.3,
 R611.4, R611.5.3
 Mass..... N1102.2.4
 Steel framing R603
 Structural insulated panels (SIP) R613
 Thickness, masonry chimneys R1003.10
 Wood framing R602

WARM-AIR FURNACES..... M1402
 Access to M1401.2
 Clearance from M1402.2

WASTE
 Continuous, definition..... R202

WATER
 Distribution system, definition R202
 Heater, definition R202
 Heaters Chapters 20, 24 and 28
 Individual supply and sewage disposal P2602
 Piping sizing methods..... P2903
 Supply and distribution Chapter 29
 Supply system, definition R202

WATER CLOSET R306.1

WATERPROOFING
 And dampproofing R406
 Of openings through roofs and walls P2606

WATERTIGHT
 Definition applied to electrical provisions.... E3501

WEATHERPROOF
 Definition applied to electrical provisions.... E3501

WHIRLPOOL BATHTUBS..... P2720

WIND SPEED MAP Figure R301.2(4)

WINDOW R612
 Fall prevention devices R612.3
 Opening limiting devices R612.4

WIRING METHODS..... Chapter 37

WOOD
 Floor construction..... R502
 Foundation walls R404.2
 Roof-ceiling construction R802
 Shakes..... R905.8
 Shingles..... R905.7
 Trusses R502.11, R802.10
 Walls..... R602

WORKING SPACE E3606.2
 Around electrical equipment E3405.1, E3405.2

WORKMANSHIP, PLUMBING P2607

Y

YARD
 Definition..... R202