

# INDEX [CE]

## A

### ADDITIONS AND ALTERATIONS

Defined . . . . . C202  
Requirements . . . . . C101.4.3

**ADMINISTRATION** . . . . . Chapter 1

**AIR BARRIER** . . . . . C402.4.1

Construction . . . . . C402.4.1.1

Materials . . . . . C402.4.1.2.1

Penetrations . . . . . C402.4.2

### AIR CONDITIONERS

Efficiency requirements . . . . . Tables C403.2.3(1, 3)  
Table C406.2(1)

### AIR ECONOMIZERS

Defined . . . . . C202

Requirements . . . . . C403.3.1, C403.4.1, C403.4.5.3

### AIR INFILTRATION

Defined . . . . . C202

Rates for fenestration assemblies . . . Table C402.4.3

Requirements . . . . . C402.4.5

**AIR INTAKES AND EXHAUSTS** . . . . . C402.4.5

**AIR LEAKAGE** . . . . . C402.4, C403.2.7.1.3

**AIR SYSTEM BALANCING** . . . . . C408.2.2.1,  
C408.2.2.2, C408.2.5.3

**ALTERNATE MATERIALS** . . . . . C102

**APPROVED**

Defined . . . . . C202

**AREA-WEIGHTED U-FACTOR** . . . . . C402.3.4

**AUTOMATIC**

Defined . . . . . C202

## B

**BALLASTS** . . . . . C405.1, C405.3

**BASEMENT WALLS**

Defined . . . . . C202

Requirements . . . . . C303.2.1, Table C402.1.2,  
Table C402.2, C402.2.2.2, C402.2.4

**BELOW-GRADE WALLS (see BASEMENT WALLS)**

**BOARD OF APPEALS** . . . . . C109

Qualifications of members . . . . . C109.3

**BOILERS** . . . Table C403.2.3(5), C403.4.3, C403.4.3.5,  
C404.2, Table C404.2, Table C406.2(5)

**BUILDING**

Defined . . . . . C202

Multifamily residential . . . . . C407.5.2.3

**BUILDING COMMISSIONING**

Defined . . . . . C202

## BUILDING ENTRANCE

Defined . . . . . C202

## BUILDING ENVELOPE

Compliance documentation . . . . . C103.2

Defined . . . . . C202

Exemption . . . . . C101.5.2

Insulation . . . . . C303.1.1

Insulation and fenestration criteria . . . . . C402.1.1

Requirements . . . . . C402

Performance method . . . . . C407.3

## BUILDING SITE

Defined . . . . . C202

## BUILDING THERMAL ENVELOPE

Defined . . . . . C202

## C

### C-FACTOR

Defined . . . . . C202

**CAULKING AND WEATHERSTRIPPING** . . . C402.4.1,  
C402.4.3

**CHANGE OF OCCUPANCY** . . . . . C101.4.4

**CHILLERS** . . . . . Table C403.2.3(7),  
Table C406.2(6), Table C407.5.1(4)

Absorption . . . . . Table C406.2(7)

Positive displacement chilling packages . . . C403.2.3

Water-cooled centrifugal  
chiller packages . . . . . C403.2.3.1,  
Table C403.2.3(7), Table C407.5.1(5)

**CIRCULATING PUMPS** . . . . . C403.4.3.3, C404.6

**CIRCULATING SYSTEMS** . . . . . C403.4.3.3,  
C403.4.3.5, C404.6

### CLIMATE TYPES

Defined . . . . . Table C301.3(1)

**CLIMATE ZONES** . . . . . C301, Figure C301.1,  
Table C301.1

By state or territory . . . . Figure C301.1, Table C301.1

International climate zones . . . . . C301.3,  
Table C301.3(1), Table C301.3(2)

Warm humid . . . . . C301.2, Table C301.2, C301.3.1

### CODE OFFICIAL

Defined . . . . . C202

### COEFFICIENT OF PERFORMANCE

(COP) . . . . . Table C403.2.3(2),  
Table C403.2.3(7)

### COMMERCIAL BUILDINGS

Compliance . . . . . C101.2, C101.4.6,  
C101.5, C401.1, C401.2

Defined . . . . . C202  
 Total building performance . . . . . C407  
**COMMISSIONING** . . . . . C408  
**COMPLIANCE AND ENFORCEMENT** . . . . . C101.5  
**CONDENSING UNITS**  
 Efficiency requirements . . . . . Tables C403.2.3(1, 6)  
**CONDITIONED FLOOR AREA**  
 Defined . . . . . C202  
**CONDITIONED SPACE**  
 Defined . . . . . C202  
 Changes . . . . . C101.4.5  
**CONSTRUCTION DOCUMENTS** . . . . . C103  
 Amended . . . . . C103.4  
 Approval . . . . . C103.3.1  
 Examination . . . . . C103.3  
 Information required . . . . . C103.2  
 Phased . . . . . C103.3.3  
 Previous . . . . . C103.3.2  
 Retention . . . . . C103.5  
 Revocation . . . . . C104.8.1  
**CONTINUOUS AIR BARRIER**  
 Defined . . . . . C202  
**CONTROLS**  
 Capabilities . . . C403.2.2, C403.2.4.1, C403.2.4.3.1,  
 C403.2.4.3.2, C403.2.5.1, C403.4.3.4,  
 C403.4.3.5, C403.4.4, C404.3  
 Chilled water plants . . . . . C403.4.3.5  
 Economizers . . . . . C403.3.1, C403.3.1.1.3(1, 2),  
 C403.4.1, C403.4.1.3  
 Energy recovery systems . . . . . C403.2.6  
 Fan speed . . . . . C403.4.4, C403.2.10, C403.2.10.1  
 Heat pump . . . . . C403.2.4.1.1, C403.4.3.3  
 Heating and cooling . . . . . C403.2.2, C403.2.4,  
 C403.4.5  
 Hot water system . . . . . C404.6  
 Humidity . . . . . C403.2.4.1, C403.2.6, C403.4.5  
 HVAC . . . . . C403.2.4, C403.2.10, C408.2.3.2  
 Hydronic systems . . . . . C403.3.2, C403.4.3  
 Lighting . . . . . C402.3.2.1, C405.2, C405.2.1.2,  
 C405.6.1, C405.6.2  
 Off hour . . . . . C403.2.4.3  
 Service water heating . . . . . C403.4.6,  
 C404.3, C404.6  
 Shutoff dampers . . . . . C403.2.4.4, C403.4.5  
 Snow melt system . . . . . C403.2.4.5  
 Temperature . . . . . C403.2.4.1, C403.2.4.2,  
 C403.2.4.3.1, C403.2.4.3.2,  
 C403.2.4.3.3, C403.2.4.4 C403.4.3, C404.3  
 Three-pipe system . . . . . C403.4.3.1

Two-pipe changeover system . . . . . C403.4.3.2  
 Variable air volume systems . . . C403.4.2, C403.4.5  
 Ventilation . . . . . C403.2.5  
**COOLING SYSTEMS**  
 Hot gas bypass limitation . . . . . C403.4. 7  
**COOLING WITH OUTDOOR AIR** . C403.3.1, C403.4.1  
**CRAWL SPACE WALLS**  
 Defined . . . . . C202  
 Requirements . . . . . C303.2.1  
**CURTAIN WALL**  
 Defined . . . . . C202

**D**

**DAMPERS** . . . . . C402.4.5.2  
**DAYLIGHT ZONE** . . . . . C405.2.2.3  
 Control  
 Automatic . . . . . C405.2.2.3.2  
 Manual . . . . . C405.2.2.3.1  
 Defined . . . . . C202  
 Under skylights . . . . . C402.3.2  
**DAYLIGHT ZONE CONTROL** . . . . . C405.2.2.3  
**DEADBAND** . . . C403.2.4.2, C403.4.3.2, C403.4.3.3.1  
**DEFINITIONS** . . . . . Chapter 2  
**DEGREE DAY COOLING** . . . . . Table C301.3(2)  
**DEGREE DAY HEATING** . . . . . Table C301.3(2)  
**DEMAND CONTROL**  
**VENTILATION (DCV)** . . . . . C403.2.5.1  
 Defined . . . . . C202  
**DEMAND RECIRCULATION WATER SYSTEM**  
 Defined . . . . . C202  
**DESIGN CONDITIONS** . . . . . Chapter 3, C302  
**DOORS**  
 Default *U*-factors . . . . . Table C303.1.3(2)  
 Opaque . . . . . C402.2.7  
 Performance requirements . . . . . C402.4.4  
**DUAL DUCT VAV** . . . . . C403.4.5.2, C403.4.5.3  
**DUCTS**  
 Defined . . . . . C202  
 Insulation . . . . . C103.2, C403.2.7, C403.2.7.1,  
 C403.2.7.1.1, C403.2.7.1.2, C403.2.7.1.3  
 Sealing . . . . . C103.2, C403.2.7, C403.2.7.1.1,  
 C403.2.7.1.2, C403.2.7.1.3  
**DUCT SYSTEM**  
 Defined . . . . . C202  
**DWELLING UNIT**  
 Defined . . . . . C202  
**DYNAMIC GLAZING**  
 Defined . . . . . C202, C402.3.3.5

## E

**ECONOMIZER**

- Air . . . . . C403.3.1, C403.3.1.1.1,  
Tables C403.3.1.1.3(1,2), C403.4.1
- Defined . . . . . C202
- High-limit shutoff control . . . . . C403.3.1.1.3,  
Tables C403.3.1.1.3(1, 2)
- Requirements . . . . . C403.3.1, C403.4.1, C403.4.5.3
- Water . . . . . C403.3.1, C403.4.1, C403.4.1.1

**ELECTRICAL METERS** . . . . . C405.7**ELECTRICAL POWER AND LIGHTING** . . . . . C405**ELEVATOR SHAFTS** . . . . . C402.4.5, C402.4.5.1**ENCLOSED SPACE**

- Defined . . . . . C202

**ENERGY ANALYSIS, ANNUAL**

- Defined . . . . . C202
- Documentation . . . . . C407
- Requirements . . . . . C407

**ENERGY COST**

- Defined . . . . . C202

**ENERGY EFFICIENCY RATIO**

- (EER) . . . . . C403.2.3, Tables C403.2.3(1, 2, 3, 6, 7)

**ENERGY RECOVERY VENTILATION SYSTEMS**

- Defined . . . . . C202
- Requirements . . . . . C403.2.1, C403.2.6

**ENERGY SIMULATION TOOL**

- Defined . . . . . C202
- Requirements/use . . . . . C101.5.1, C407,  
C407.2, C407.5

**ENTRANCE DOOR**

- Defined . . . . . C202

**ENVELOPE, BUILDING THERMAL**

- Defined . . . . . C202

**ENVELOPE DESIGN PROCEDURES** . . . . . C402**EQUIPMENT EFFICIENCIES** . . . . . C103.2, C403.2.3,  
C403.3.1, C403.4.1, C404.2**EQUIPMENT PERFORMANCE**

- REQUIREMENTS.** . . . . . C403.2.3
- Boilers . . . . . Table C403.2.3(5)
- Condensing units . . . . . Table C403.2.3(6)
- Economizer exception . . . . . Tables C403.3.1(1-6)
- Heat rejection equipment . . . . . Table C403.2.3(8)
- Packaged terminal air conditioners and  
heat pump . . . . . Table C403.2.3(3)
- Unitary air conditioners and  
condensing units . . . . . Table C403.2.3(1)
- Unitary and applied heat pumps . . . . . Table C403.2.3(2)
- Warm air duct furnaces and  
unit heaters . . . . . Table C403.2.3(4)
- Warm air furnaces . . . . . Table C403.2.3(4)

- Warm air furnaces/air-conditioning  
units . . . . . Table C403.2.3(4)

- Water chilling packages,  
standard . . . . . Table C403.2.3(7)

- Water heating . . . . . Table C404.2

**EQUIPMENT ROOM**

- Defined . . . . . C202

**EXEMPT BUILDINGS** . . . . . C101.5.2**EXHAUSTS** . . . . . C402.4.5.2**EXIT SIGNS** . . . . . C405.4**EXISTING BUILDINGS** . . . . . C101.4.1**EXTERIOR LIGHTING** . . . . . C405.6**EXTERIOR SHADING** . . . . . Table C402.3, C402.3.2**EXTERIOR WALLS**

- Defined . . . . . C202
- Thermal performance . . . . . C402, C402.2.2

## F

**F-FACTOR**

- Defined . . . . . C202

**FAN BRAKE HORSEPOWER (BHP)**

- Defined . . . . . C202

**FAN FLOOR HORSEPOWER** . . . . . C403.2.10.1**FAN POWER LIMITATION** . . . . . Tables C403.2.10.1(1, 2)**FAN SYSTEM BHP**

- Defined . . . . . C202

**FAN SYSTEM DESIGN CONDITIONS**

- Defined . . . . . C202

**FAN SYSTEM MOTOR NAMEPLATE HP**

- Defined . . . . . C202

**FEES** . . . . . C107

- Refunds . . . . . C107.5
- Related fees . . . . . C107.4
- Schedule of permit fees . . . . . C107.2

**FENESTRATION** . . . . . C303.1.3, C402.3, C402.4

- Air Infiltration Rate . . . . . Table C402.4.3
- Defined . . . . . C202
- Rating and labeling . . . . . C303.1.3, C402.1.1
- Skylights . . . . . C402.3.2
- Vertical . . . . . C402.3.3, C402.3.3.1, C402.3.3.2

**FENESTRATION PRODUCT, FIELD-FABRICATED**

- Defined . . . . . C202

**FENESTRATION PRODUCT, SITE-BUILT**

- Defined . . . . . C202

**FLOORS**

- Over outdoor air or unconditioned space . . . . . C402.2.5

**FURNACE EFFICIENCY** . . . . . Table C403.2.3(4)**FURNACE ELECTRICITY RATIO**

- Defined . . . . . C202

**G**

**GENERAL LIGHTING**

Defined ..... C202

**GUESTROOMS (see SLEEPING UNIT)**

**GLAZING AREA**

Default fenestration *U*-factors .... Table C303.1.3(1)  
 Dynamic.....C402.3.3.5

**H**

**HAZE FACTOR** ..... C402.3.2.2

**HEAT PUMP** ..... Tables C403.2.3(2, 3),  
 C403.2.4.1.1, C403.4.3.3,  
 C403.4.3.3.3, Table C406.2(2)

**HEAT REJECTION EQUIPMENT** .. Table C403.2.3(8)

**HEAT TRANSFER EQUIPMENT** ... Table C403.2.3(9)

**HEAT TRAPS** ..... C404.4, C404.5  
 Defined ..... C202

**HEATED SLAB**

Defined ..... C202

**HEATING AND COOLING LOADS** .C302.1, C403.2.1,  
 C403.2.2, C403.2.3, C403.2.4.1.1,  
 C403.2.4.3, C403.3, C403.4

**HEATING OUTSIDE A BUILDING**..... C403.2.11

**HIGH-EFFICACY LAMPS**

Defined ..... C202

**HISTORIC BUILDINGS** ..... C101.4.2

**HOT GAS BYPASS** ..... C403.4.7, Table C403.4.7

**HOT WATER** ..... C404.2, C404.6  
 Piping insulation..... C403.2.8, C404.5  
 System controls ..... C403.4.6, C404.3, C404.6

**HUMIDISTAT**

Defined ..... C202  
 Requirements ... C403.2.4.1, C403.2.6, C403.4.5.4

**HVAC EQUIPMENT**

Automatic setback and shutdown ..... C403.2.4.3.2  
 Automatic start capabilities ..... C403.2.4.3.3  
 Performance requirements ..... C403.2.3  
 Supply-air temperature reset .....C403.4.5.4  
 System map zones .. Table C407.5.1(2),C 407.5.2.1

**HVAC SYSTEMS** ..... C403.2.9, C408.2

Manuals .....C408.2.5.2  
 Plan ..... C408.2.1  
 Report .....C408.2.4, C408.2.4.1,  
 C408.2.4.2, C408.2.5.4

**HYDRONIC HEAT PUMP SYSTEMS**.....C403.4.3.3

**I**

**IDENTIFICATION (MATERIALS,  
 EQUIPMENTAND SYSTEM)**.....C303.1

**INDIRECTLY CONDITIONED SPACE  
 (see CONDITIONED SPACE)**

**INFILTRATION, AIR LEAKAGE**..... C402.4  
 Defined..... C202

**INSPECTIONS** ..... C104

**INSULATION**

Duct ..... C403.2.7  
 Identification..... C303.1, C303.1.2  
 Installation .....C303.1.1, C303.1.1.1,  
 C303.1.2, C303.2

Mechanical system piping ..... C403.2.8  
 Piping..... C404.5  
 Plenum..... C403.2.7  
 Product rating..... C303.1.4  
 Protection of exposed foundation..... C303.2.1  
 Protection of piping insulation ..... C403.2.8.1  
 Radiant heating systems ..... C402.2.8  
 Requirements.....C402.1, C402.2

**INSULATING SHEATHING**

Defined..... C202  
 Requirements.....Table C402.1.2, C402.2.3

**INTEGRATED PART LOAD VALUE**

(IPLV)..... Table C403.2.3(6), C403.4.1

**INTERIOR LIGHTING POWER** .... C405.5, C405.5.2

**L**

**LABELED**

Defined..... C202  
 Requirements.....C303.1.3, C303.3,  
 Table C403.2.3(3), C405.5.1.2

**LIGHTING POWER**

Design procedures..... C405.5.2  
 Exterior connected ..... C405.6,  
 Interior connected ...C405.5, Tables C405.5.2(1, 2),  
 Table C406.3  
 Manufacturer’s information..... C102.2,C102.3

**LIGHTING SYSTEMS**..... C405, C406.3

Controls ..... C405.2, C405.2.1  
 Controls, additional ..... C405.2.2  
 Controls, exterior ..... C405.2.4,  
 Tables C405.6.2(1, 2), C405.6.2  
 Controls, interior. .C405.2.1.1, Tables C405.5.2(1, 2),  
 C405.5, C405.5.1, C405.5.2

Multi-level lighting..... C405.2.2.3.3  
 Guestrooms/sleeping units..... C405.2.3  
 Line voltage ..... C405.5.1.4  
 Merchandise (highlight specific)..... Table C405.5.2  
 Plug-in busway..... C405.5.1.4  
 Recessed..... C402.4.8  
 Track ..... C405.5.1.4

Wattage ..... C405.5.1.2

**LISTED**

Defined ..... C202

**LOADING DOCK WEATHERSEALS** ..... C402.4.6

**LOW ENERGY BUILDINGS** ..... C101.5.2

**LOW-VOLTAGE LIGHTING**

Defined ..... C202

Requirements ..... C405.5.1.2

**LUMINAIRE**

Controls ..... C405.2.2.1, C405.2.3

Sealed ..... C402.4.7

Screwed lamp holders ..... C405.5.1.1

Tandem wiring ..... C405.3

Wattage ..... C405.5.1, C405.6.1

**M**

**MAINTENANCE INFORMATION** ..... C102.3

**MANUALS** ..... C101.5.1, C102.3

Defined ..... C202

**MASS**

Floor ..... C402.2.5

Wall ..... C402.2.3

**MATERIALS AND EQUIPMENT** ..... C303

**MECHANICAL SYSTEMS AND EQUIPMENT** ..... C403

**MECHANICAL VENTILATION** ..... C403.1, C403.2.5

**METERS, ELECTRICAL** ..... C405.7

**MOTOR NAMEPLATE HORSEPOWER** .. C403.2.10.2

**MULTI-FAMILY RESIDENTIAL BUILDINGS** ..... C407.5.2.3

**MULTI-SCENE CONTROL**

Defined ..... C202

**MULTIPLE ZONE SYSTEMS** ..... C403.4.5

**N**

**NAMEPLATE HORSEPOWER**

Defined ..... C202

**NONCIRCULATING SYSTEMS** ..... C404.4, C404.5

**NONCONDITIONED SPACE**

Alterations ..... C101.4.5

**NONSTANDARD PART LOAD VALUE**

Defined ..... C202

**O**

**OCCUPANCY**

Requirements ..... C101.4.4, C101.4.6, C101.5, C403.4.5, C404.3,

**OCCUPANCY SENSORS** . . C403.2.4.3.2, C405.2.2.2,

**OFF-HOUR, CONTROLS** ..... C403.2.4.3

**ON-SITE RENEWABLE ENERGY**

Defined ..... C202

**OPAQUE AREAS** ..... C402, Table C402.1.2, Table C402.2(1), C402.2.7

**OPAQUE DOORS** ..... C402.2.7

**OPERATING & MAINTENANCE MANUAL** ..... C408.2.5.2

**ORIENTATION** ..... C403.2.4.1

**P**

**PACKAGED TERMINAL AIR CONDITIONER (PTAC)**

Requirements ..... Table C403.2.3(3), C403.3, Table C406.2(3)

**PACKAGED TERMINAL HEAT PUMP**

Requirements ..... Table C403.2.3(3), C403.3

**PERFORMANCE ANALYSIS** ..... C407

**PERMIT (see FEES)**

Work commencing before permit ..... C107.3

**PHOTOCELL** ..... C405.2.4

**PIPE INSULATION** ..... C403.2.8, C403.2.8.1, Table C403.2.8, C404.5

**PLANS AND SPECIFICATIONS** ..... C103

**POOLS** ..... C404.7

Covers ..... C404.7.3

**POWER DENSITY** ..... C406.3.1

**PROPOSED DESIGN**

Defined ..... C202

Requirements ..... C407

**PUMPING SYSTEMS** ..... C403.4.3.3, C404.6, C404.7.2, C408.2.2.2

**R**

**R-VALUE**

Below-grade walls ..... C402.2.4

Defined ..... C202

**READILY ACCESSIBLE**

Defined ..... C202

**RECOOLING** ..... C403.4.5

**REFERENCED STANDARDS** ..... C106, Chapter 5

**REHEATING** ..... C403.4.5, C403.4.6

**RENEWABLE/NONDEPLETABLE ENERGY SOURCES** ..... C406.2.4

**REPAIR**

Defined ..... C202

Requirements ..... C101.4.3

**RESET CONTROL** ..... C403.4.3.4

**RESIDENTIAL BUILDINGS**

Compliance ..... C101.2, C101.5

Defined ..... C202

**ROOF ASSEMBLY**

- Defined ..... C202
- Reflectance and emittance options ..... Table C402.2.1.1
- Requirements ..... C101.4.3, C303.1.1.1, C402.2.1
- Solar reflectance and thermal emittance ..... C402.2.1.1

**S**

- SCOPE** ..... C101.2
- SCREW LAMP HOLDERS**
  - Defined ..... C202
  - Requirements ..... C405.5.1.1
- SEASONAL ENERGY EFFICIENCY RATIO (SEER)** ..... C403.2.3
- SERVICE WATER HEATING**
  - Defined ..... C202
  - Requirements ..... C401.2, C403.4.6, C404, C404.2
- SETBACK THERMOSTAT** ..... C403.2.4.3.1
- SHADING** ..... C402.3.2
- SHEATHING, INSULATING**  
(see **INSULATING SHEATHING**)
- SHGC**  
(see **SOLAR HEAT GAIN COEFFICIENT**)
- SHUTOFF DAMPERS** ..... C402.4.5, C403.2.4.4
- SIMULATED PERFORMANCE ALTERNATIVE** ..... C407
- SIMULATION TOOL**  
(see **ENERGY SIMULATION TOOL**)
- SINGLE ZONE** ..... C403.3
- SIZING**
  - Equipment and system ..... C403.2.2
- SKYLIGHTS** ..... C102.1.3, C402.1.1, C402.3.1.2, C402.3.2, C402.3.2.1, C402.3.3.3, C402.3.3.4
  - Defined ..... C202
  - Haze factor ..... C402.3.2.2
  - Maximum exempt area ..... C402.3.1
- SLAB-EDGE INSULATION** ..... C303.2.1, C402.2.6
- SLEEPING UNIT** ..... C405.2.2.1, C405.2.2.2, C405.2.3
- SNOW MELT SYSTEM CONTROLS** ..... C403.2.4.5
- SOLAR HEAT GAIN COEFFICIENT (SHGC)** ..... C102.1.3, C104.2, Table C303.1.3(3), Table C402.3, C402.3.2, C402.3.3.1, C402.3.3.2, C402.3.3.3
- Defined ..... C202
- SPAS** ..... C404.7
- STAIRWAYS** ..... C402.4.5, C402.4.5.1
- STANDARD REFERENCE DESIGN**
  - Defined ..... C202
  - Requirements ..... C407, Tables C407.5.1(1, 3)

- STANDARDS, REFERENCED** ..... C106, Chapter 5
- STEEL FRAMING** ..... Table C402.2
- STOP WORK ORDER** ..... C108
  - Authority ..... C108.1
  - Emergencies ..... C108.3
  - Failure to comply ..... C108.4
  - Issuance ..... C108.2
- STOREFRONT** ..... C202, Table C402.3
- SUPPLY AIR TEMPERATURE RESET CONTROLS** ..... C403.4.5.4
- SUSPENDED CEILING** ..... C402.2.1
- SWIMMING POOLS** ..... C404.7

**T**

- TANDEM WIRING** ..... C405.3
- TEMPERATURE DEAD BAND** ..... C403.4.3.3.1
- THERMAL CONDUCTANCE** (see **C-Factor**)
- THERMAL ISOLATION**
  - Defined ..... C202
- THERMAL MASS** (see **MASS**)
- THERMAL RESISTANCE** (see **R-VALUE**)
- THERMAL TRANSMITTANCE** (see **U-FACTOR**)
- THERMOSTAT**
  - Defined ..... C202
  - Requirements ..... C403.3
  - Setback capabilities ..... C403.2.4.3.1
- TIME SWITCHES** ..... C405.2.2.1
- TOTAL BUILDING PERFORMANCE** ..... C407
- TOWNHOUSE** (see **RESIDENTIAL BUILDINGS**)

**U**

- U-FACTOR**
  - Air-weighted *U*-factor ..... C402.3.4
  - Alternative ..... C402.1.2
  - Default door ..... Table C303.1.3(2)
  - Default glazed fenestration ..... Table C303.1.3(1)
  - Defined ..... C202
  - Skylights ..... C402.3.3.4

**V**

- VARIABLE AIR VOLUME SYSTEMS (VAV)** ..... C403.2.6, C403.4.2, C403.4.5, C403.4.5.1, C403.4.5.2, C403.4.5.3
- VENTILATION** ..... C403.2.5
  - Defined ..... C202
  - Demand controlled ventilation (DCV) . . . C403.2.5.1
  - Energy recovery system . . . C403.2.6, Table C403.2.6

**VESTIBULES** .....C402.4.7  
**VISIBLE TRANSMITTANCE (VT)**  
 Default glazed fenestration ..... Table C303.1.3(3)  
 Defined .....C202

## W

### **WALL**

Above-grade, defined ..... C202, C402.2.2.1  
 Thermal resistance ..... C402.2.3, Table C402.2  
 Basement, defined .....C202  
 Below-grade ..... C402.2.2.2, C402.2.4  
 Crawlspace, defined .....C202  
 Exterior, defined .....C202

### **WALLS (see EXTERIOR WALLS AND ENVELOPE, BUILDING THERMAL)**

### **WALLS ADJACENT TO UNCONDITIONED SPACE (see BUILDING THERMAL ENVELOPE)**

**WATER ECONOMIZER** .....C403.4.1  
 Defined .....C202

**WATER HEATING**..... C404, Table C404.2

### **WHOLE HOUSE MECHANICAL VENTILATION SYSTEM**

Defined .....C202

### **WINDOW AREA**

(see FENESTRATION and GLAZING AREA)

**WIRING, TANDEM** ..... C405.3

## Z

### **ZONE (see also CLIMATE ZONES)**

Defined .....C202  
 Requirements ..... C403.2.4, C403.3,  
 C403.4.3.3.2.1, C403.4.3.3.2.2,  
 C403.4.3.4, C403.4.5

**ZONE ISOLATION** .....C403.4.5

